

Buckling of thin shells: Recent advances and trends

Jin Guang Teng

*Department of Civil and Structural Engineering, Hong Kong Polytechnic University,
Hung Hom, Kowloon, Hong Kong.*

This paper provides a review of recent research advances and trends in the area of thin shell buckling. Only the more important and interesting aspects of recent research, judged from a personal view point, are discussed. In particular, the following topics are given emphasis: (a) imperfections in real structures and their influence; (b) buckling of shells under local/non-uniform loads and localized compressive stresses; and (c) the use of computer buckling analysis in the stability design of complex thin shell structures.

1 INTRODUCTION

Thin-shell structures find wide applications in many branches of engineering. Examples include aircraft, spacecraft, cooling towers, nuclear reactors, steel silos and tanks for bulk solid and liquid storage, pressure vessels, pipelines and offshore platforms. Because of the thinness of these structures, buckling is often the controlling failure mode. It is therefore essential that their buckling behavior be properly understood so that suitable design methods can be established.

This paper provides a review of recent research advances and trends in the area of thin shell buckling. The paper is not intended to be an exhaustive review of the field, nor is it possible to do so in a single paper of limited length. Instead, only the more important and interesting aspects of recent research, judged from a personal viewpoint, will be discussed. In particular, the following topics are given emphasis: (a) imperfections in real structures and their influence; (b) buckling of shells under local/non-uniform loads and localized compressive stresses; and (c) the use of computer buckling analysis in the stability design of complex thin shell structures. The author wishes to apologize in advance for any inadvertent omission of relevant publications.

2 BRIEF HISTORICAL NOTES

2.1 General

Shell structures are widely used in many fields and have been studied actively for more than one hundred years (Calladine, 1988). The first shell buckling problem solved was cylindrical shells under axial compression (Lorenz, 1908; Timoshenko, 1910; Southwell, 1914). Early tests (Robertson, 1929; Flugge, 1932; Lundquist, 1933; Wilson and Newmark, 1933) indicated that real cylinders buckle at loads much lower than the classical buckling load, which is the linear bifurcation load based on the assumptions of simple supports and a membrane state of prebuckling stress dis-

tribution. Experimental buckling loads as low as 30% of the classical load are not uncommon. The search for reasons responsible for this discrepancy led to an enormous amount of research in the subsequent decades. Researchers have chiefly attributed this discrepancy to the effects of (a) boundary conditions, (b) prebuckling deformations, (c) geometric imperfections, and (d) load eccentricities. The effects of these factors have thus been investigated for many shell buckling problems. In the following, their effects are discussed briefly for axially compressed isotropic and stringer-stiffened cylinders respectively. This discussion not only illustrates the different roles these factors play in the two problems, but also constitutes a brief historical glimpse of thin shell buckling research, as it is fair to state that the foundations of shell stability theory were almost all laid in studying axially compressed cylinders.

2.2 Axially compressed isotropic cylinders

The effect of various boundary conditions, especially the in-plane ones, on the buckling strength of cylindrical shells has been explored in detail using the membrane prebuckling stress assumption (Ohira, 1961, 1963; Stein, 1962; Hoff, 1965; Hoff and Rehfield, 1965; Hoff and Soong, 1965; Hoff, 1966; Almroth, 1966;). Although isotropic cylindrical shells with ends permitted to move in the circumferential direction have been found to buckle at a stress one half that of the classical prediction, it cannot explain the difference between the classical prediction and experiment because such boundary conditions rarely exist in actual shells.

The classical linear buckling theory assumes a membrane state of stress before buckling. In the case of a cylindrical shell under axial compression, this implies that the compressed cylinder is free to expand laterally. A free expansion is usually not possible in experiments or in real structures, so bending stresses and deformations are expected near the ends which can reduce the buckling load of the axially compressed cylinder. The effect of bending stresses and prebuckling deformations was first investigated by Fischer

(1962, 1963). Stein (1962, 1964) also considered the pre-buckling bending stresses and deformations and reported buckling strengths of the order of half the classical value. However, subsequent studies by Hoff and his co-workers (Hoff, 1966) revealed that these were due to the relaxed boundary conditions of freedom to displace circumferentially, and that similar reductions could be found using the membrane stress assumption. Later studies (Fischer, 1965; Almroth, 1966; Gorman and Evan-Iwanowski, 1970; Yamaki and Kodama, 1972) showed that the effect of pre-buckling deformations is small and is not a primary reason for the difference between the classical prediction and experimental results and the great scatter of experimental results.

For axially compressed isotropic cylinders, small load eccentricities do not have a major influence on the buckling strength (Simites, 1985 *et al*). The single dominant factor contributing to the discrepancy between theory and experiment for axially compressed isotropic cylinders is initial geometric imperfections. An enormous amount of research has therefore been carried out on the imperfection sensitivity of shell buckling. The most notable contributors in this research include von Kármán and Tsien (1941), Donnell and Wan (1950), Koiter (1945), Budiansky and Hutchinson (1966). For a thorough description of the buckling behavior of cylinders under various uniform loads, the book by Yamaki (1984) should be consulted. A recent review on imperfect cylinder buckling is that by Simites (1986).

2.3 Axially compressed stringer stiffened cylinders

While the effect of initial geometric imperfections is the dominant factor responsible for the discrepancy between the classical theory and experiment, this effect is less pronounced in cylindrical shells with a significant amount of stringer stiffening. The imperfection sensitivity of stringer-stiffened cylinders depends on the geometry of stiffeners, particularly the ratio $A_s/(bt)$, where A_s is the cross-section area of the stringer, b is the circumferential distance between stringers and t is the thickness of the shell skin (Weller and Singer, 1977). The effect of boundary conditions now becomes predominant (Weller, 1978). For example, axial restraint may raise the buckling load of a shell by 50% or more. Singer and his coworkers (Weller *et al*, 1974; Singer and Rosen, 1976; Weller and Singer, 1977; Weller, 1978; Singer and Abramovich, 1979; Singer, 1982a; 1982b; 1983) have contributed greatly to our knowledge of buckling of stiffened cylinders under axial compression, with special emphasis on the effects of boundary conditions and load eccentricities. The effect of load eccentricities for stringer-stiffened cylinders was first addressed by Stuhlman *et al* (1966), followed by extensive studies by Singer and his coworkers (Weller *et al*, 1974; Singer, 1983). These studies have shown that differences in buckling loads due to the effect of load eccentricities can be up to 50% for some practical configurations. Prebuckling deformations are only important when the shell is short enough for the non-uniformity caused by them to occur over most of the shell length (Weller *et al*, 1974).

The many studies by Singer and his co-workers have demonstrated conclusively that the influence of geometric imperfections should be introduced after effects of boundary conditions and load eccentricities have been determined to produce accurate buckling predictions. They have developed a non-destructive vibration correlation technique which can be used to define the boundary conditions and load eccentricities as well as to determine buckling loads directly (Singer and Abramovich, 1979; Singer, 1982a; Singer, 1982b; 1983).

2.4 Books and reviews on buckling of thin shells

Many other shell buckling problems have been studied in the past decades, and quite a number of books and review articles have been written on the subject. A recent article (Noor, 1990) provides an extensive list of books, conference proceedings and survey articles on shell structures. A number of books were published around ten years ago (Calladine, 1983a; Kollar and Dulacska, 1984; Yamaki, 1984; Bushnell, 1985) which provide a wealth of information on the buckling behavior and strength of thin shells. A handbook for shell stability design has recently been produced by Samuelson and Eggwertz (1992) which can be particularly useful to designers. Conference proceedings (Fung and Sechler, 1974; Koiter and Mikhailov, 1980; Ramm, 1982; Thompson and Hunt, 1983; Jullien, 1991) and paper collections (Zamrik and Dietrich, 1982; Harding *et al*, 1982; Narayanan, 1985; Galletly, 1995) are also sources of very useful information.

Many review articles on thin shell buckling have also been written. Nash (1960) summarized early achievements in shell buckling research. Hoff (1966) discussed the buckling behavior of cylinders with various boundary conditions. Work on elastic postbuckling and imperfection sensitivity has been reviewed in Hutchinson and Koiter (1970), Budiansky and Hutchinson (1966, 1979), Tvergaard (1976) and Citerley (1982). Babcock (1983) addressed the aspects of imperfection sensitivity, dynamic buckling, plastic buckling, experiments and computer buckling analysis in his review of shell buckling research in general. Babcock (1974) and Singer (1980, 1982b) surveyed experimental research on shell buckling. Bushnell (1982) examined many plastic buckling problems and the computer analysis of plastic buckling. The most recent review article is that of Simites (1986) published almost a decade ago, in which the buckling and postbuckling behavior of imperfect cylinders was discussed in detail.

The past decade has seen further major advances in thin shell buckling research. This review is therefore prepared to provide a brief survey of the developments in the past decade and a more detailed discussion of several areas of intensive recent interest outlined earlier. Both tasks have not been undertaken in any previous review articles.

3 CURRENT STATUS

Despite extensive research over many decades, our knowledge of many shell buckling problems is still very limited. Consequently, shell stability design criteria contained in de-

sign codes for various structures such as tanks (eg, API 620, 1982), silos (eg, Trahair *et al*, 1983), pressure vessels (eg, ASME, 1986; BS 5500, 1988; AS 1210, 1989) and offshore platforms (eg, API RP2A, 1989) generally cover only the basic geometries of cylinders, cones, and spheres, and simple loading conditions such as uniform axial compression, uniform normal pressure, uniform torsion and bending, or a combination of some of them. This limitation also applies to the general code for steel shell buckling developed by the European Convention for Constructional Steelwork (ECCS, 1988).

This lack of knowledge has been due to the two main difficulties encountered in shell buckling research in the previous decades. First, the buckling phenomenon in shells is a highly complex one, described by nonlinear partial differential equations too difficult to solve except for a few simple cases before the computer era. Second, unlike beams and plates, buckling of shells is generally sensitive to small geometric imperfections induced in the fabrication process. Theoretical buckling loads obtained assuming a perfect geometry often greatly overestimate the actual strength of a shell, so design methods have relied heavily on extensive experimental data which are available only for a limited number of cases. Indeed, in the second edition of *Stability of Metal Structures: World View* (Beedle, 1991), it was pointed out that there was the greatest need for more experimental data in the area of shell buckling.

The availability of powerful computers and development of sophisticated finite element and other numerical techniques in recent years have changed the situation drastically (Bushnell, 1985; Yang *et al*, 1990). No longer is it impossible to numerically solve a specific complicated nonlinear buckling problem: indeed there are scores of proprietary and commercial codes based on the finite element method as well as other numerical methods (eg, Bushnell, 1976; Almroth and Brogan, 1978; Esslinger *et al*, 1984; Wunderlich *et al*, 1985; Combescure *et al*, 1987; Teng and Rotter, 1989a; 1989b; Ravichandran *et al*, 1994; Hibbit, Karlsson and Sorensen Inc., 1993) which can perform the task. Thus, the first difficulty seems to have disappeared. This does not imply that there is now no need of research on shell buckling, instead great strides can now be made in understanding the buckling behavior of shells for a much wider range of problems. The second difficulty remains and requires more urgent attention if numerical buckling analyses are to be applied directly in design or to replace much of the experimental work previously required in the development of design methods. The establishment of a reliable procedure to convert a numerically obtained buckling load to the design strength of a shell is one of the most important challenges facing the shell buckling research community (Samuelson, 1991a).

4 UNIFORM LOADING AND REAL IMPERFECTIONS

Simple uniform loads including axial compression, external pressure, torsion and their combinations have received the

most attention in the past. Indeed, much of our understanding of shell buckling has come from research on unstiffened and stiffened cylindrical shells under various uniform loads. For perfect shells of revolution under uniform loading, their buckling loads can now be readily obtained from finite element analyses employing an axisymmetric shell element (eg, Teng and Rotter, 1989b) or other similar numerical analyses (eg, Bushnell, 1976). However, because of their sensitivity to initial imperfections, the central theme of current research is how real imperfections affect their buckling strengths.

Buckling of imperfect cylindrical shells thus remains a subject of active research, with special emphasis on the effect of real imperfections as well as of boundary conditions and load eccentricity. Most early research on imperfection sensitivity was concerned with idealized imperfection forms and imperfections in small scale laboratory models, but it has now been well recognized that these are generally not representative of real imperfections in full scale structures. Babcock, Arbocz, Singer and their colleagues (Arbocz, 1982; 1991; Arbocz and Babcock, 1981; Arbocz and Hol, 1991; Elishakoff *et al*, 1987; Singer, 1982b; Singer and Abramovich, 1995; Weller *et al*, 1986) have pioneered in the precise measurement of imperfections in laboratory and full scale aeronautical shells, and the development of statistically-based design methods using measured imperfections in the last fifteen years. An International Imperfection Data Bank was established with branches in Delft and Haifa for the evaluation of imperfection measurements and correlation studies (Arbocz, 1982; Singer, 1982b). Their work also demonstrated that the form and amplitude of imperfections are dependent on the fabrication process and quality. This work has recently been extended to offshore shells (Chryssanthopoulos *et al*, 1991a; 1991b; Chryssanthopoulos and Poggi, 1995) and silos and tanks (Ding *et al*, 1991; Coleman *et al*, 1992; Rotter *et al*, 1992). The development of shell imperfection measurement techniques has been reviewed in a recent article by Singer and Abramovich (1995).

Calladine (1995) recently added a new dimension to imperfection sensitivity research by suggesting that in addition to the assumed-to-be-stress-free geometric imperfections, locked-in stresses likely to occur in shells with fixed boundaries may also be important in reducing the load carrying capacity of shell structures. He also presented a thought-provoking review of the ideas deployed in understanding imperfection sensitivity of axially compressed cylindrical shells in the same article.

Many other interesting works have been or are being conducted on shells under uniform loads. Examples include buckling of unstiffened cylinders (eg, Galletly *et al*, 1987; Shen and Chen, 1991) and stiffened cylinders (eg, Agelidis *et al*, 1982; Miller and Vojta, 1984; Croll, 1985; Abramovich *et al*, 1991; Dowling, 1991) under combined loading; effect of lap joints (Rotter and Teng, 1989a; Teng, 1994a), an axisymmetric weld depression (Rotter and Teng, 1989b), residual stresses (Ravn-Jensen and Tvergaard, 1990) and thickness variations (Koiter *et al*, 1994) on the buckling of axially compressed cylinders; buckling of liquid filled conical shells (eg, Vandepitte *et al*, 1982), paraboloidal shells

(*eg.* Chen and Xu, 1992; Ishakov, 1993), corrugated shells (*eg.* Yeh *et al* 1992; Ross and Humphries, 1993), externally-pressurized steel domes (*eg.* Blachut *et al*, 1991; Galletly and Blachut, 1991; Blachut and Galletly, 1995), externally-pressurized toriconical heads (*eg.* Wunderlich *et al*, 1987) and torispherical heads (*eg.* Lu *et al*, 1995), toroidal shells (*eg.* Panagiotopoulos, 1985; Wang and Zhang, 1991; Bielski, 1992; Galletly and Blachut, 1995) and cooling towers (*eg.* Combescure *et al* 1987; Aflak and Jullien, 1991; Kaluza and Gigieli, 1995; Radwanska and Waszczyszyn, 1995); the effect of internal pressure and an elastic core on cylinder strength (*eg.* Knoedel and Schulz, 1988; Rotter and Zhang, 1990; Zhang and Ansourian, 1991; Limam *et al*, 1991; Teng and Rotter, 1992a; Knoedel *et al*, 1995; Knebel and Schweizerhof, 1995); the optimization of shell form to resist various loads (*eg.* Blachut, 1987; Jullien and Araar, 1991; Reitingger and Ramm, 1995); buckle propagation in submarine pipelines (*eg.* Kyriakides and Babcock, 1981; Winter *et al*, 1985; Kamalarasa and Calladine, 1988; Hahn *et al*, 1992; Lin, *et al* 1993); lower bound buckling loads (*eg.* Croll, 1985; Yamada and Croll, 1993; Croll, 1995); buckling of buried pipelines (*eg.* Yun and Kyriakides, 1990; Moore and Selig, 1990); thermal buckling (*eg.* Combescure and Brochard, 1991); creep buckling (*eg.* Arnold *et al*, 1989; Miyazaki, 1988, 1992; Sammari and Jullien, 1995); dynamic buckling (*eg.* Saigal *et al*, 1987; Birch and Jones, 1990; Florence *et al*, 1991; Lindberg, 1991; Wang *et al*, 1993a; 1993b; Pedron and Combescure, 1995); non-destructive testing (*eg.* Singer, 1982b; Nicholls and Karbhari, 1989; Souza and Assaid, 1991) and development of design codes and guidelines (*eg.* Odland, 1991; Samuelson, 1991a; Schmidt, 1991; Akiyama *et al*, 1991; Dulacska and Kollar, 1995).

5 CYLINDRICAL SHELLS SUBJECT TO WIND AND EARTHQUAKE LOADS

Steel silos and tanks, when empty or partially filled, are susceptible to buckling failure under wind pressure. Several such buckling failures have occurred in the past (Ansourian, 1992), leading to a substantial research effort in this area (*eg.* Resigner and Greiner, 1982; Jerath and Sadid, 1985; Uchiyama, 1987; Blackler and Ansourian, 1988; Ansourian, 1992; Greiner and Derler, 1995). Simple design methods have also been developed and included in some codes (*eg.* BS 2654, 1989). Some interesting aspects considered include the effect of a rectangular cutout on the buckling strength of wind loaded cylinders (Jerath, 1987), the buckling of tanks with unrestrained upper edge which occurs during the construction stage (Saal and Schrufer, 1991), buckling of cylinders under combined wind and snow loads (Kapania, 1990) and buckling of long cylinders for which axial and shear stresses become important (Greiner and Derler, 1995).

Buckling of liquid-filled storage tanks due to seismic excitations has received a great deal of research in recent years (*eg.* Niwa and Clough, 1982; Fischer, *et al*, 1985; Shih, 1987; Uras and Liu, 1990, 1991; Chiba *et al*, 1987a, 1987b; Peek, 1989; Fujita *et al*, 1990; Haroun and Mourad, 1990;

Peek and El-Bkaily, 1991; Zhou *et al*, 1992; Manos, 1994). Rammerstorfer and Scharf (1990) presented a comprehensive survey of research on storage tanks subject to earthquake loading, while Liu *et al* (1991) reviewed research advances in dynamic buckling analysis of liquid-filled shells.

6 CYLINDRICAL SHELLS SUBJECT TO HORIZONTAL SHEAR OR NON-UNIFORM TORSION

Short cylindrical shells are susceptible to buckling in shear when subject to lateral loads. Shear buckling was first examined by Lundquist (1935). A solution for the elastic buckling of a perfect cantilever cylinder subject to transverse shear was presented by Schroeder (1972). Yamaki *et al* (1979) conducted experiments on polyester cylinders subject to transverse shear and internal pressure. Galletly and Blachut (1985a) performed plastic shear buckling experiments on steel cylinders and proposed a simple design equation. Further plastic shear buckling tests were conducted by Dostal *et al* (1987). The plastic shear buckling problem has been investigated further recently by Kulak, Elwi and their associates for large diameter fabricated tubes in a number of experimental (Bailey and Kulak, 1984; Obaia *et al*, 1992a) and finite element (Mok and Elwi, 1986; Roman and Elwi, 1989) studies, and an improved design equation has been established (Obaia *et al*, 1992b). The effect of imperfections was examined both numerically (Mok and Elwi, 1986; Roman and Elwi, 1989; Kokubo *et al*, 1993; Murakami and Yoguchi, 1991) and experimentally (Murakami and Yoguchi, 1991) and was found to be moderate. Roman and Elwi (1989) demonstrated that residual stresses due to a cold-bending fabrication process can lead to a large reduction in the ultimate load, but the effect of the residual stresses due to a longitudinal seam-weld is insignificant. The postbuckling load carrying mechanism for a cylindrical shell with end ring stiffeners may be regarded as a tension field anchored in the ring stiffeners (Bailey and Kulak, 1984) and modeled as an equivalent truss mechanism (Roman and Elwi, 1988). Plastic buckling of cylindrical shells under transverse shear in combination with other loads has also been considered (*eg.* Akiyama *et al*, 1987; Kokubo *et al*, 1993).

Ground-supported silos subject to unbalanced horizontal loads are usually subject to membrane shear stresses which vary approximately linearly in the axial direction (*eg.* Rotter and Hull, 1989). The elastic buckling of cylinders subject to shear stresses of linear longitudinal variation (non-uniform torsion) was examined by Jumikis and Rotter (1986) who also developed a design equation.

7 LOCALIZED CIRCUMFERENTIAL COMPRESSION

There is a class of shell structures in which localized circumferential compressive stresses arise under loads which are apparently tensile. Consequently, buckling failure is possible in these shells. Examples include pressure vessel heads, cir-

cular plates under a transverse load, and hemispheres under axial tension. These problems are normally not very sensitive to initial imperfections because the circumferential compression is localized and apart from this localized compression, both membrane stresses are tensile throughout the shell.

Torispherical shells have been studied extensively (eg, Adachi and Benicek, 1964; Galletly, 1985; Galletly and Blachut, 1985b; Roche and Autrusson, 1986; Galletly *et al*, 1990; Soric, 1990; 1995) and a design method has been developed and included into several codes including the ECCS (1988) code. Hagihara *et al* (1991) analyzed the bifurcation buckling of torispherical heads dynamically loaded by internal pressure. Studies into the collapse and buckling of cone-cylinder intersections under internal pressure have recently been undertaken and simple strength equations have been established (Teng, 1994b, 1995a, 1995b). Other problems already studied include truncated hemispheres under axial tension (Yao, 1963), spherical cargo tanks for liquid natural gas (Pedersen and Jensen, 1976; 1995), spherical caps with a movable edge under internal pressure (Shilkrut, 1983), circular plates under a central point load (Adams, 1993) and plate-end pressure vessels (Teng and Rotter, 1989c).

8 CYLINDRICAL SHELLS SUBJECT TO LOCAL AXIAL COMPRESSION

A cylinder in a column-supported silo or tank is a common example where buckling under local axial compression is important. Despite the extensive research efforts into shell buckling of the last few decades, only a few studies (Abir and Nardo, 1958; Bijlaard and Gallagher, 1959; Hoff *et al*, 1964; Johns, 1966; Libai and Durban, 1973, 1977; Peter, 1974) examined the linear bifurcation buckling of perfect cylinders under circumferentially varying axial loads before a recent resurgence of interest. A simple conclusion from this work might be that buckling of a perfect shell occurs under a circumferentially non-uniform distribution of axial stress when the maximum stress is slightly higher than the classical elastic critical value for uniform axial compression. Libai and Durban (1977) gave simple expressions which describe the increase in buckling stress above this simple rule, but the strength gains are generally small for thin shells. Li (1990) studied the linear bifurcation buckling of simply supported cylinders under many equally-spaced discrete axial forces as an imperfect realization of uniform axial compression.

The above studies are entirely restricted to linear bifurcation in perfect cylinders, and thus do not address the practical buckling strength question. The loading and boundary conditions considered also do not represent discrete column forces on shells. In order to develop stability design criteria for cylinders under local axial compression, particularly for metal column-supported tanks and silos, many intensive studies have been carried out recently. Teng and Rotter (1991a) appears to be the first to investigate the nonlinear buckling behavior of column-supported cylinders numerically, followed by several other studies (Ramm and Butcher, 1991; Rotter *et al*, 1991; Teng and Rotter, 1992b;

Guggenberger, 1991; Dhanens *et al*, 1993; She and Rotter, 1993). A summary of this work has been given in Rotter (1993) and a design proposal was submitted for inclusion in the ECCS (1988) code (Rotter *et al*, 1993). The nonlinear buckling of column-supported imperfect cylinders has also been analyzed by Gould *et al* (1994, 1995) recently using their local-global method (Gould and Ravichandran, 1993; Harintho and Gould, 1994; Ravichandran *et al*, 1992, 1994) which can also deal with other local effects efficiently. So far, the problem treated is that of a cylinder directly supported on columns or under local axial edge loads. Many other questions remain to be answered and these include the strength of shells with more complicated arrangements of local supports (Gorenc, 1985).

9 CYLINDERS SUBJECT TO OTHER LOCAL/NON-UNIFORM LOADS OR WITH LOCAL GEOMETRIC DISTURBANCES

The effect of local disturbances and loads on axially compressed cylinders has been the topic of several recent studies. Research has been carried out on axially compressed cylindrical shells with cutouts (Tennyson, 1968; Almroth and Holmes, 1972; Almroth *et al* 1973; Starnes, 1974; Montague and Horne, 1981; Miller, 1982; Toda, 1983; Knoedel and Schulz, 1985; Allen *et al*, 1990), and design procedures have been formulated (Eggwertz and Samuelson, 1991a; Samuelson and Eggwertz, 1992). The effect of a local vertical stiffener (Eggwertz and Samuelson, 1991b), additional local loads (Samuelson, 1985, 1991b) and a single or multiple localized deep dents as may be caused by collision damage (Krishnakumar and Foster, 1991a, 1991b) has also been addressed.

The effect of a single deep longitudinal dent on the buckling of externally pressurized cylinders has been studied by Schmidt (1986) and Guggenberger (1995) which showed that the effect of a single longitudinal dent on buckling strength is small and tends to vanish with increasing dent amplitude.

Early studies on the buckling of cylinders subject to non-uniform external pressure were carried out by Almroth (1962), Weingarten (1962) and Uemura and Morita (1971). Recent investigations into the buckling of cylinders subject to non-uniform or partial external pressure have been undertaken by Wei and Shun (1988), Chiba *et al* (1989), Ramm and Butcher (1991), and Sengupta and Ansourian (1994). Sengupta and Ansourian (1994) considered the case of external pressures which are non-uniform around the circumference but uniform longitudinally and derived a simple design formula from finite element results.

A significant number of studies have examined stability problems in horizontal storage vessels and some simple design methods have been developed (Saal, 1982; Tooth and Susatijo, 1983; Krupka, 1987, 1991a, 1991b, 1991c, 1992; Ansourian and Sengupta, 1993).

Plastic buckling of cylinders in bending has received much attention in recent years (Bushnell, 1981; Calladine, 1983b; Kyriakides and Shaw, 1987; Ju and Kyriakides,

1991a, 1991b, 1992; Kyriakides and Ju, 1992; Murray and Bilston, 1992; Li and Molyneaux, 1994). Many other local or non-uniform load problems need further research, including silos and tanks subject to uneven foundation settlement (Palmer, 1992) and silos under eccentric discharge (Rotter, 1986; Bucklin *et al.*, 1990; Rotter, 1993).

10 PLASTICITY MODELS IN PLASTIC BIFURCATION ANALYSIS

The problems discussed in previous sections include both elastic and plastic buckling, so a separate discussion of the latter is not given here. The review paper by Bushnell (1982) on plastic buckling may be consulted for more information. However, it is interesting to mention several recent studies that attempt to resolve the difference between flow theory and deformation theory of plasticity in predicting plastic bifurcation buckling loads.

For plastic bifurcation buckling of plates and shells, the paradox remains that the analytically less satisfactory deformation theory of plasticity gives results in closer agreement with experimental results than the more rigorous and well accepted flow theory. The many available explanations are still inconclusive, and recent results once again confirm the better agreement between deformation theory and experiment (Ore and Durban, 1989, 1992; Galletly *et al.*, 1990; Giezen *et al.*, 1991). As bifurcation analyses using the deformation theory usually also predict lower buckling loads than those from a flow theory analysis, the deformation theory option has been included in some computer codes (*eg.* Bushnell, 1976; Teng and Rotter, 1989b). A third alternative is to use the shear modulus for deformation theory in the flow theory (*eg.* Bushnell, 1976; Teng and Rotter, 1989b), as it has been shown that the difference in shear modulus in the inelastic range for the two theories is solely responsible for the difference in the obtained torsional buckling load of a cruciform column. Roche and Atrusson (1986), Bodner and Naveh (1988) and Combescure (1991) have also discussed some other possible stress-strain relations.

11 RING STIFFENERS

Ring stiffeners are often an integral part of shell structures. One common mode of failure is the out-of-plane buckling of rings (Bushnell, 1977), especially when they are attached to a shell intersection. Several recent studies have been conducted on rings at shell intersections (Jumikis and Rotter, 1983; Rotter and Jumikis, 1985; Rotter, 1987; Sharma *et al.*, 1987; Teng and Rotter, 1988, 1989d, 1991b, 1992c; Greiner, 1991; Teng and Lucas, 1994). Esslinger and Geier (1993) and Louca and Harding (1994) investigated the torsional buckling strength of ring stiffeners on externally pressurized cylinders.

In the finite element modeling of ring-stiffened shells, rings can be modeled either as shell branches using shell theory or as discrete rings (Bushnell, 1985). Among the existing nonlinear shell theories, that due to Sanders' (1963) is the most widely used. The accuracy of Sanders' (1963) theory has been generally accepted as being satisfactory for thin shells for all practical purposes. However, Rotter and

Jumikis (1988) recently pointed out that while Sanders' theory works well when buckling is dominated by normal displacements of the shell surface which is the case for most problems, it can lead to erroneous results when applied in a conventional manner to problems where buckling is dominated by in-plane displacements. This is because nonlinear strains arising from in-plane displacements are not properly accounted in Sanders' theory. One example is the buckling of ring-stiffened shells of revolution in which the ring buckles in its own plane. Rotter and Jumikis (1988) derived a new nonlinear theory for thin shells of revolution which includes nonlinear strain terms arising from in-plane displacements. They demonstrated that their theory is the only one which gives the correct classical ring buckling load for the in-plane buckling of an annular plate if the annular plate is modeled using axisymmetric shell elements (Rotter and Jumikis, 1988).

12 SHELL STABILITY DESIGN BY NUMERICAL BUCKLING ANALYSIS

The obvious difficulty an engineer faces in directly using numerical shell buckling analysis in design is how to convert his numerical buckling load based on any of the several types of buckling analysis to the design strength of his particular structure. Until this problem is satisfactorily solved, direct use of computer buckling analysis in design is difficult. Several approaches have been considered by various researchers and code writing committees (Schmidt and Krysik, 1991; Speicher and Saal, 1991; Samuelson and Eggwertz, 1992; Teng and Rotter, 1995).

In the first approach, a linear elastic bifurcation buckling analysis is carried out to determine the bifurcation load of the perfect structure. Reduction factors can then be applied to account for geometric imperfections and plasticity. This approach has perhaps the greatest appeal to the designer as it is similar to current code rules for simple load cases, and a linear bifurcation analysis is relatively easy to perform. The difficulty lies in deriving appropriate reductions factors for different loading and support conditions (Schmidt and Krysik, 1991; Samuelson and Eggwertz, 1992).

On the other hand, a fully nonlinear analysis can be carried out with large deflections, geometric imperfections and plasticity properly modeled. Here, the difficulty is in establishing the form and amplitude of imperfections to be used in the nonlinear analysis. Speicher and Saal (1991) have proposed that an equivalent imperfection of the same form as the first bifurcation mode be used and have also deduced the required magnitude of this equivalent imperfection to produce a safe design, based on existing test results for cylindrical shells. This method of determining the amplitude and form of imperfection is perhaps the best possible if no information is available on the amplitude or form of real imperfections in the structure under consideration. The most rational approach, however, will be the establishment of a statistically based imperfection model for a particular class of shell structures fabricated by the same process, based on extensive measurements of real geometric imperfections on full scale structures (Arbocz, 1991; Rotter *et al.*, 1992). Such

an imperfection model distinguishes between high quality and low quality shells, and defines strength in terms of reliability. While this approach is rational, its establishment relies on extensive measurement data which are currently not available (Rotter *et al*, 1992).

Intermediate approaches where one of the two factors (ie imperfections and plasticity) is included in the numerical analysis have also been discussed, but the two approaches described above seem to be the most promising. However, for axisymmetric problems, a nonlinear bifurcation analysis, considering prebuckling large deflections and plastic material behavior, may be used as a compromise between a linear bifurcation and a fully nonlinear analysis if axisymmetric imperfections are dominant or effective axisymmetric imperfections can lead to good results (Almroth *et al*, 1970; Teng and Rotter, 1995). For example, the simple axisymmetric weld depression proposed by Rotter and Teng (1989b) has been shown to represent the dominant components of imperfections in full scale steel silos and to produce buckling strengths comparable to those from current design criteria when its amplitude is of the order of shell wall thickness. It is expected that this weld depression (or its extension) may be used to obtain a good approximation in other shells of revolution under predominantly meridional compression of uniform or non-uniform distribution. This approach, including both plasticity and imperfection, can lead to a close estimate of the ultimate strength directly. The amplitude of weld depression in any analysis still needs to be carefully chosen based on past measurements or engineering judgment, or deduced from existing experimental results or design criteria.

Accurate modeling of boundary conditions does not seem to have been addressed in the context of stability design by numerical buckling analysis, although this is also important (Singer and Rosen, 1976). As pointed out by Bushnell (1985), the difficulty in defining accurately the boundary conditions can be largely avoided if all parts of the structure, or all parts between stations at which there is no doubt about the actual boundary conditions, are included in the model, so assumptions are not made about boundary conditions and load eccentricities. When some assumptions have to be made about uncertain boundary conditions, a conservative model should be used to ensure safety.

13 CONCLUSION

A review of recent research on thin shell buckling has been presented. Research on buckling of thin shell is still very active, and will remain so for a long time to come because of the many unsolved practical problems. In particular, buckling of shells under local or non-uniform loads, the effect of real imperfections, the direct application of numerical buckling analysis in design, and the development of simple design methods for commonly encountered engineering problems will be some of the most important themes of future investigations.

14 ACKNOWLEDGEMENT

The author wishes to thank the reviewers for their helpful comments and suggestions

REFERENCES

- Abir D and Nardo SV (1958) Thermal buckling of circular cylindrical shells under circumferential temperature gradients. *J Aerospace Sci*, **26**(12), 803-808.
- Abramovich H, Singer J, and Weller T (1991) The influence of initial imperfections on the buckling of stiffened cylindrical shells under combined loading, in *Buckling of Shell Structures on Land, in the Sea, and in the Air* (ed J.F Jullien), Elsevier Applied Science, London, 1-10.
- Adachi J and Benicsek M (1964) Buckling of torispherical shells under internal pressure. *Exp Mech*, Aug, 217-222.
- Adams G.G (1993) Elastic wrinkling of a tensioned circular plate using von Kármán plate theory. *J Appl Mech*, ASME, **60**, 520-525.
- Aflak W and Jullien J.F (1991) The precritical deflections of cooling towers: origin and influence, in *Buckling of Shell Structures on Land, in the Sea, and in the Air* (ed J.F Jullien), Elsevier Applied Science, London, 476-485.
- Agelidis N, Harding J.E, and Dowling P.J (1982) Buckling tests on stringer-stiffened cylinder models subject to load combination. Det norske Veritas Report 82/198, Imperial College.
- Akiyama H, Takahashi M, and Hashimoto S (1987) Buckling tests of steel cylindrical shells subjected to combined bending and shear. *Trans of Architec Inst of Japan* (in Japanese), No 371, p 44.
- Akiyama H, Ohtsubo H, Nakamura H, Matsuura S, Hagiwara Y, Yuhara T, Hirayama H, Kokubo K, and Ooka Y (1991) Outline of the seismic buckling guideline of FBR, in Proc of 11th Int Conf on Structural Mechanics in Reactor Technology, Vol E, p 239.
- Allen L R, Hutchinson G.L, and Stevens L.K (1990) Buckling considerations in the design of elevated steel water tanks. *Thin-Walled Struct*, **9**(1-4), 389-406.
- Almroth B.O (1962) Buckling of a cylindrical shell subjected to non-uniform external pressure. *J Appl Mech*, ASME, **29**, 675-682.
- Almroth B.O (1966) Influence of edge conditions on the stability of axially compressed cylindrical shells. *AIAA J*, **4**(1), 134-140
- Almroth B.O and Brogan F.A (1978) The STAGS computer codes. NASA CR 2950, February.
- Almroth B.O, Brogan F.A, and Marlowe M.B (1973) Stability analysis of cylinders with circular cutouts. *AIAA J*, **11**(11), 1582-1584.
- Almroth B.O, Burns A.B., and Pittner E.V (1970) Design criteria for axially loaded cylindrical shells. *J Spacecraft Rockets*, **7**(6), 714-720.
- Almroth B.O and Holmes A.M.C (1972) Buckling of shells with cutouts, experiment and analysis. *Int J Solids Struct*, **8**(8), 1057-1071.
- Ansourian P (1992) On the buckling analysis and design of silos and tanks. *J Construct Steel Res*, **23**, 273-294.
- Ansourian P and Sengupta M (1993) Analysis and design of thin-walled horizontal storage tanks, in *Proc of 13th Australasian Conf on Mech of Struct and Mat*, Univ of Wollongong, Australia, 25-32.
- API RP2A (1989) *Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms*, 18th Edition. Am Petroleum Inst, Texas.
- API 620 (1982) *Recommended Rules for Design and Construction of Large Welded, Low Pressure Storage Tanks*, 7th Edition. Am Petroleum Inst, Texas.
- Arbocz J (1982) The imperfection data bank, a mean to obtain realistic buckling loads, in *Buckling of Shells* (ed E Ramm), Springer-Verlag, Berlin, 535-567.
- Arbocz J (1991) Towards an improved design procedure for buckling critical structures, in *Buckling of Shell Structures on Land, in the Sea, and in the Air* (ed J.F Jullien), Elsevier Applied Science, London, 270-276.
- Arbocz J and Babcock C.D (Jr) (1981) Computerised stability analysis using measured initial imperfections, in *Proc of 12th Congress of the Int Council of the Aeronaut Sci*, Oct 12-17, Munchen, 688-701.
- Arbocz J and Hol J.M.A.M (1991) Collapse of axially compressed cylindrical shells with random imperfections. *AIAA J* **29**(12), 2247-2256.
- Arnold S M, Robinson D N., and Saleeb A F (1989) Creep buckling of cylindrical shell under variable loading. *J Eng Mech*, ASCE, **115**(5), 1054-1074.
- ASME (1986) *Boiler and Pressure Vessel Code*, ASME N284. Am Soc of Mech Eng.
- AS 1210 (1989) *SAA Unfired Pressure Vessel Code*. Standards Australia, Sydney.
- Babcock C.D (1974) Experiments in shell buckling, in *Thin-Shell Structures, Theory, Experiment, and Design*, (eds YC Fung and EE Sechler), Prentice-Hall, Englewood Cliffs NJ, 345-369.
- Babcock C.D (1983) Shell stability. *J Appl Mech*, ASME **50**, 935-940.
- Bailey R and Kulak GL (1984) *Flexural and Shear Behavior of Large Diameter Steel Tubes*. Report No 119, Dept of Civil Eng, Univ of Alberta, Edmonton.

- Beedle LS (1991) *Stability of Metal Structures: A World View, 2nd Edition*, Stability Research Council, USA.
- Bielski J (1992) Influence of geometrical imperfections on buckling pressure and post-buckling behavior of elastic toroidal shells. *Mech Struct Machines* **20**, 145-154.
- Bijlaard D.L and Gallagher R.H (1959) Elastic instability of a cylindrical shell under arbitrary circumferential variation of axial stresses. *J Aerospace Sci* **27**(11), 854-858, 866.
- Birch R.S and Jones N (1990) Dynamic and static axial crushing of axially stiffened cylindrical shells. *Thin-Walled Struct*, **9**, 29-60.
- Blachut J (1987) Combined axial and pressure buckling of shells having optimal positive gaussian curvature. *Comput Struct* **26**(3), 513-519.
- Blachut J, Galletly GD, and Moffat DG (1991) An experimental and numerical study into the collapse strength of steel domes, in *Buckling of Shell Structures, on Land, in the Sea and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 344-358.
- Blachut J and Galletly GD (1995) Buckling strength of imperfect steel hemispheres. *Thin-Walled Struct* **23**(1-4), 1-20.
- Blackler MJ and Ansourian P (1988) Design against wind Induced instability of silos, in *Proc of 11th Australasian Conf on Mech of Struct and Mat*, Auckland, 427-430.
- BS 2654: (1989) *Manufacture of Vertical Steel Welded Non-Refrigerated Storage Tanks with Butt-Welded Shells for the Petroleum Industry*. British Standards Institution.
- BS 5500 (1988) *Specification of Unfired Fusion Welded Pressure Vessels*. British Standards Institution.
- Bucklin RA, Thompson SA, and Ross IJ (1990) Bin-wall failure caused by eccentric discharge of freeflowing grain. *J Struct Eng, ASCE* **116**(11), 3175-3190.
- Budiansky B and Hutchinson JW (1966) A survey of some buckling problems. *AIAA J* **4**(9), 1505-1510.
- Budiansky B and Hutchinson JW (1979) *Buckling: progress and challenge, in Trends in Solid Mechanics 1979*, Proc of Symp Dedicated to the 65th Birthday of WT Koiter, (eds JF Besseling and AMA van der Heijden), Delft Univ Press, 93-116.
- Bushnell D (1976) BOSOR5 - Program for buckling of elastic-plastic shells of revolution including large deflections and creep. *Comput Struct* **6**, 221-239.
- Bushnell D (1977) BOSOR4: Program for Stress, buckling, and vibration of complex shells of revolution, in *Structural Mechanics Software Series* (eds N Perrone and W Pilkey), Vol 1, Univ Press of Virginia, Charlottesville, 11-143.
- Bushnell D (1981) Elastic-plastic bending and buckling of pipes and elbows. *Comput Struct* **13**, 241-248.
- Bushnell D (1982) Plastic buckling of various shells. *J Pressure Vessel Tech, ASME* **104**, 51-72.
- Bushnell D (1985) *Computerised Buckling Analysis of Shells*. Martinus Nijhoff Publishers, Dordrecht.
- Calladine CR (1983a) *Theory of Shell Structures*. Cambridge Press.
- Calladine CR (1983b) Plastic buckling of tubes in pure bending, in *Col-lapse: The Buckling of Structures in Theory and Practice*, (eds JMT Thompson and GW Hunt), Cambridge Univ Press, Cambridge, 111-124.
- Calladine CR (1988) The theory of thin shell structures 1888-1988. *Proc of Institution of Mech Eng: Part A*, **202**(A3), 141-149.
- Calladine CR (1995) Understanding imperfectionsensitivity in the buckling of thin-walled shells. *Thin-Walled Struct* **23**(14), 215-235.
- Chen JF and Xu ZA (1992) Buckling of compound hyperbolic paraboloidal shells. *Thin-Walled Struct* **13**(3), 245-257.
- Chiba M, Tani J, and Yamaki N (1987a) Dynamic stability of liquid-filled cylindrical shells under vertical excitation, Part I: Experimental results. *Earthquake Eng Struct Dyn* **15**(1), 23-36.
- Chiba M, Tani J, and Yamaki N (1987b) Dynamic stability of liquid-filled cylindrical shells under vertical excitation, part ii: theoretical results. *Earthquake Eng Struct Dyn* **15**(1), 37-51.
- Chiba M, Yamashida T, and Yamauchi M (1989) Buckling of circular cylindrical shells partially subjected to external liquid pressure. *Thin-Walled Struct* **8**(3), 217-233.
- Chryssanthopoulos MK, Baker MJ, and Dowling PJ (1991a) Statistical analysis of imperfections in stiffened cylinders. *J Struct Eng, ASCE* **117**(7), 1979-1997.
- Chryssanthopoulos M.K, Baker M.J, and Dowling P.J (1991b) Imperfection modelling for buckling analysis of stiffened cylinders. *J Struct Eng, ASCE* **117**(7), 1998-2017.
- Chryssanthopoulos MK and Poggi C (1995) Stochastic imperfection modelling in shell buckling studies. *Thin-Walled Struct* **23**(1-4), 179-200.
- Citerley RL (1982) Imperfection sensitivity and postbuckling behavior of shells, in *Pressure Vessels and Piping: Design Technology-1981 - A Decade of Progress*, (eds SY Zamrik and D Dietrich), ASME, New York, 27-46.
- Coleman R, Ding XL, and Rotter JM (1992) The measurement of imperfection in full-scale steel silos, in *Proc of 4th Int Conf on Bulk Mat Storage, Handling, and Transportation*, IEAust, 467-472.
- Combesure A (1991) Upon the different theories of plastic buckling: elements for a choice, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 448-457.
- Combesure A and Brochard J (1991) Recent advances on thermal buckling, new results obtained at CEA, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed J.F Jullien), Elsevier Appl Sci, London, 381-390.
- Combesure A, Pernette E, and Reynouard JM (1987) Linear and nonlinear buckling of a discretely supported cooling tower using special axisymmetric shell elements, in *Proc of Int Colloquium on Stability of Plate and Shell Struct*, Ghent, Belgium, 6-8 April, 283-291.
- Croll JA (1985) Stiffened cylindrical shells under axial and pressure loading, in *Shell Structures: Stability and Strength* (ed R Narayanan), Elsevier Appl Sci Pub, 19-56.
- Croll J.G.A (1995) Towards a rationally based elastic-plastic shell buckling design methodology. *Thin-Walled Struct*, **23**(1-4), 67-84.
- Dhanens F, Lagae G, Rathe J, and Impe RV (1993) Stresses in and buckling of unstiffened cylinders subjected to local axial loads. *J Construct Steel Res*, **27**, 89-106.
- Ding XL, Coleman R, and Rotter, JM (1991) A Profile measurement system and its application in precise engineering surveying, in *Proc of 58th FIG PC Meeting and Int Symp*, Beijing, 87-101.
- Donnell LH and Wan CC (1950) Effect of imperfections on buckling of thin cylinders and columns under axial compression. *J Appl Mech, ASME* **17**(1), 73-83.
- Dostal M, Austin N, Combesure A, Peano A, and Angeloni P (1987) Shear buckling of cylindrical vessels, benchmark exercise, in *Proc of 9th Int Conf on Struct Mech in Reactor Tech*, Vol E, 199-208.
- Dowling PJ (1991) Strength and reliability of stringer-stiffened cylinders in offshore structures, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed J.F Jullien), Elsevier Appl Sci, London, 242-250.
- Dulacska E and Kollar L (1995) Design procedure for the buckling analysis of reinforced concrete shells. *Thin-Walled Struct* **23**(1-4), 313-321.
- ECCS (1988) *Buckling of Steel Shells: European Recommendations, 4th Edition*, European Convention for Constructional Steelwork, Brussels.
- Eggwertz S and Samuelson LA (1991a) Design of shell structures with openings subjected to buckling. *J Construct Steel Res* **18**(2), 155-163.
- Eggwertz S and Samuelson LA (1991b) Buckling of shells with local reinforcements, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 401-408.
- Elishakoff I, Manen S van, Vermeulen PG, and Arbocz J (1987) First order second-moment analysis of the buckling of shells with random imperfections. *AIAA J* **25**(8), 1113-1117.
- Esslinger M and Geier B (1993) Flat bar steel ring stiffeners on cylinders subjected to external pressure. *Thin-Walled Struct* **15**, 249-269.
- Esslinger M, Geier B, and Wendt U (1984) Berechnung der Spannungen und Deformationen von Rotationsschalen im elasto-plastischen Bereich. *Stahlbau* **1**, 17-25. °
- Fischer F.D, Rammerstorfer F.G, and Auli W (1985) Strength and stability of uplifting earthquake-loaded liquid, filled tanks, in *Trans of 8th Int Conf on Struct Mech in Reactor Tech*, Vol B, 475-480.
- Fischer G (1962) Über die Berechnung der kritischen Axiallasten gelenkig gelagerter Kreiszyllinderschalen mit Hilfe des Mehrstellenverfahrens. *Z f Angewandte Math and Mech*, Vol 42.
- Fischer G (1963) Ueber den Einfluss der gelenkigen Lagerung auf die Stabilität dünnwandiger Kreiszyllinderschalen unter Axiallast und Innendruck. *Z f Flugwissenschaften* **11**, 111-119.
- Fischer G (1965) Influence of boundary conditions on stability of thin-walled cylindrical shells under axial load and internal Pressure. *AIAA J* **3**, 736-738.
- Florence AL, Geflken PR, and Kirkpatrick SW (1991) Dynamic plastic buckling of copper cylindrical shells. *Int J Solids Struct* **27**(1), 89-103.
- Fluge W (1932) Die Stabilität der Kreiszyllinderschalen. *Ingenieur-Archiv* **3**, 463-506.
- Fujita K, Ito T, and Wada H (1990) Experimental study on the dynamic buckling of cylindrical shell due to seismic excitation, in *Flow-Structure Vibration and Sloshing-1990*, ASME Pressure Vessels and Piping Division Publication, Vol 191, New York, 31-36.
- Fung YC and Sechler EE (eds) (1974) *Thin-Shell Structures, Theory, Experiment, and Design*, PrenticeHall, Englewood Cliffs NJ.
- Galletly GD (1985) Torispherical shells, in *Shell Structures: Stability and Strength* (ed R Narayanan), Elsevier Appl Sci Pub, London, 281-310.
- Galletly GD (ed) (1995) Special Issue on Buckling Strength of Imperfection-Sensitive Shells, *Thin-Walled Struct* **23**(1-4).

- Galletly GD and Blachut J (1985a) Plastic buckling of short cylindrical shells subject to horizontal edge shear loads. *J Pressure Vessel Tech*, ASME **107**, 101-107.
- Galletly GD and Blachut J (1985b) Torispherical shells under internal pressure-failure due to asymmetric buckling/axisymmetric yielding. *Proc of Inst of Mech Eng: Part C*, **199**(C3), 225-238.
- Galletly GD and Blachut J (1991) Buckling design of imperfect welded hemispherical shells subjected to external pressure. *Proc of Inst of Mech Eng: Part C*, **205**(3), 175-188.
- Galletly GD and Blachut J (1995) Stability of complete circular and non-circular toroidal shells. *Proc of Inst of Mech Eng: Part C*, **209**(4), 245-255.
- Galletly GD, Blachut J, and Moreton DN (1990) Internally pressurised machined domed ends—a comparison of the plastic buckling predictions of the deformation and flow theories. *Proc of Inst of Mech Eng: Part C* **204**, 169-186.
- Galletly GD, James S, Kruzelecki J, and Pemsing K (1987) Interactive buckling tests on cylinders subjected to external pressure and axial compression. *J Pressure Vessel Tech*, ASME **109**, 10-18.
- Giezen JJ, Babcock CD, and Singer J (1991) Plastic buckling of cylindrical shells under biaxial loading. *Exp Mech* **31**(4), 337-343.
- Gorenc BE (1985) Design of supports for steel bins, in *Design of Steel Bins for the Storage of Bulk Solids* (ed JM Rotter), Sch of Civil and Mining Eng, Univ of Sydney, 184-188.
- Gorman DJ and Evan-Iwanowski RM (1970) An analytical and experimental investigation of the effects of large prebuckling deformations on the buckling of clamped thin-walled circular cylindrical shells subjected to axial loading and internal pressure. *Dev in Theor and Appl Mech* **4**, 415-426.
- Gould PL and Ravichandran RV (1993) Nonlinear analysis of shells of revolution. *IASS Bull* **34**(112), 123-132.
- Gould PL, Ravichandran RV, and Sridharan S (1994) Efficient nonlinear analysis of column-supported shells, in *Proc of IASS-ASCE Int Symp 1994 on Spatial, Lattice, and Tension Struct*, Atlanta, ASCE, 927-935.
- Gould PL, Ravichandran RV, and Sridharan S (1995) A local-global model for the nonlinear analysis of locally imperfect shells of revolution, in *Structural Stability and Design* (eds S Kitipornchai, GJ Hancock, and MA Bradford), Balkema, Rotterdam, 359-363.
- Greiner R (1991) Elastic plastic buckling at cone cylinder junctions of silos, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 304-312.
- Greiner R and Derler P (1995) Effect of imperfections on wind-loaded cylindrical shells. *Thin-Walled Struct*, **23**(1-4), 271-281.
- Guggenberger W (1991) Buckling of cylindrical shells under concentrated loads, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 323-333.
- Guggenberger W (1995) Buckling and postbuckling of imperfect cylindrical shells under external pressure. *Thin-Walled Struct* **23**(1-4), 351-366.
- Hagihara S, Miyazaki N, and Munakata T (1991) Bifurcation buckling analysis of a torispherical shell subjected to dynamically loaded internal pressure. *Trans of Japan Soc of Mech Eng: Part A* **57**, 2116-2121.
- Hahn GD, She M, and Carney III JF (1992) Buckle propagation in submarine pipelines. *J Eng Mech*, ASCE **118**(11), 2191-2206.
- Harding JE, Dowling PJ, and Agelidis N (eds) (1982) *Buckling of Shells in Offshore Structures*, Granada, London.
- Harinitho H and Gould PL (1994) Local-global analysis on localized nonlinear shells of revolution. *Commun in Numer Methods in Eng* **10**(11), 933-941.
- Haroun MA and Mourad SA (1990) Buckling behavior of liquid filled shells under lateral seismic shear. *Flow-Structure Vibration and Sloshing-1990*, ASME Pressure Vessels and Piping Div Publ, Vol 191, New York, 11-17.
- Hibbit, Karlsson & Sorensen Inc (1993) *Abaqus 5.3, Theory Manual and User's Manual*. Hibbit, Karlsson & Sorensen Inc, Providence RI.
- Hoff NJ (1965) Low buckling stresses of axially compressed circular cylindrical shells of finite length. *J Appl Mech*, ASME **32**, 533-541.
- Hoff NJ (1966) The perplexing behavior of thin cylindrical shells in axial compression. *Israel J Tech* **4**(1), 1-28.
- Hoff NJ, Chao CC, and Madsen WA (1964) Buckling of a thin-walled circular cylindrical shell heated along an axial strip. *J Appl Mech*, ASME **31**, 253-258.
- Hoff NJ and Rehfield W (1965) Buckling of axially compressed cylindrical shells at stresses smaller than the classical critical value. *J Appl Mech*, ASME **32**, 542-546.
- Hoff NJ and Soong TC (1965) Buckling of circular cylindrical shells in axial compression. *Int J Mech Sci* **7**, 489-520.
- Hutchinson JW and Koiter WT (1970) Postbuckling theory. *Appl Mech Rev*, ASME **23**(12), 1353-1366.
- Ishakov VI (1993) Effect of large deflections and initial imperfections on buckling of flexible shallow hyperbolic paraboloid shells. *Int J Mech Sci* **35**(2), 103-115.
- Jerath S (1987) Stability of cylindrical shells with and without cutouts and subjected to wind load, in *Dynamics of Structures, Proc of Sessions at Struct Congress '87 related to Dynamics of Structures*, ASCE (ed JM Roesset), 325-335.
- Jerath S and Sadid H (1985) Buckling of orthotropic cylinders due to wind load. *J Struct Eng*, ASCE **111**(5), 610-622.
- Johns DJ (1966) On the linear buckling of circular cylindrical shells under asymmetric axial compressive stress distribution. *J Royal Aeron Soc*, December, 1095-1097.
- Ju GT and Kyriakides S (1991a) On the effect of local imperfections on the stability of elastic-plastic shells in bending, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 370-380.
- Ju GT and Kyriakides S (1991b) Bifurcation buckling versus limit load instabilities of elastic-plastic tubes under bending and external pressure. *J Offshore Mech and Arctic Eng* **113**(1), 43-52.
- Ju GT and Kyriakides S (1992) Bifurcation and localization instabilities in cylindrical shells under bending. II. Predictions. *Int J Solids Struct* **29**(9), 1143-1171.
- Jullien JF (ed) (1991) *Buckling of Shell Structures on Land, in the Sea, and in the Air*. Elsevier Appl Sci, London.
- Jullien JF and Araar M (1991) Towards an optimal shape of cylindrical shell structures under external pressure, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 21-32.
- Jumikis PT and Rotter JM (1983) Buckling of simple ringbeams for bins and tanks, in *Proc of Int Conf on Bulk Mat Storage, Handling, and Transportation*, IEAust, Newcastle, Aug, 323-328.
- Jumikis PT and Rotter JM (1986) Buckling of cylindrical shells in non-uniform torsion, in *Proc of 10th Australasian Conf on Mech of Struct and Mat*, Adelaide, 20-22 August, pp 211-216.
- Kaluza R and Gigiel JM (1995) Experimental analysis of the influence of imposed displacements at the base of a cooling tower on its buckling stability. *Thin-Walled Struct* **23**(1-4), 367-378.
- Kamalarasa S and Calladine CR (1988) Buckle propagation in submarine pipelines. *Int J Mech Sci* **30**(3/4), 217-228.
- Kapania RK (1990) Stability of cylindrical shells under combined wind and snow loads. *J Wind Eng and Indust Aerodyn* **36**, 937-948.
- Knoedel P and Schulz U (1985) Das beulverhalten von biegebeanspruchten zylinderschalen mit grossen manteloffnungen. *Berichte der Versuchsanstalt fur Stahl, Holz und Steine, Karlsruhe*, 4, Folge Heft 12.
- Knoedel P and Schulz U (1988) Buckling of silo bins loaded by granular solids, *Proc of Int Conf: Silos-Forschung und Praxis*, Univ of Karlsruhe, W Germany, Oct, 287-302.
- Knoedel P, Ummenhofer T, and Schulz U (1995) On the modelling of different types of imperfections in silo shells. *Thin-Walled Struct* **23**(14), 283-293.
- Knebel K and Schweizerhof K (1995) Buckling of cylindrical shells containing granular solids. *Thin-Walled Struct* **23**(14), 295-312.
- Koiter WT (1945) On the Stability of Elastic Equilibrium. PhD Thesis, Univ of Delft (in Dutch).
- Koiter WT, Elishakoff I, Li YW, and Starnes Jr JH (1994) Buckling of an axially compressed cylindrical shell of variable thickness. *Int J Solids Struct* **31**(6), 797-805.
- Koiter WT and Mikhailov GK (eds) (1980) *Theory of Shells*, Proc of 3rd IUTAM Symp on Shell Theory, 1978, North-Holland, Amsterdam.
- Kokubo K, Nagashima H, Takayanagi M, and Mochizuki A (1993) Analysis of shear buckling of cylindrical shells. *JSME Int Journal, Series A: Mechanics and Material Engineering*, **36**(3), 259-266.
- Kollar L and Dulacska E (1984) *Buckling of Shells for Engineers*. Wiley & Sons.
- Krishnakumar S and Foster CG (1991a) Axial load capacity of cylindrical shells with local geometric defects. *Exp Mech*, June, 104-110.
- Krishnakumar S, Foster CG (1991b) Multiple geometric defects, their effect on stability of cylindrical shells. *Exp Mech* **31**(3), September, 213-219.
- Krupka V (1987) Buckling and limit carrying capacity of saddle loaded shells, in *Proc of Int Colloq on Stability of Plate and Shell Struct*, Gent, Belgium, April, 617-622.
- Krupka V (1991a) Plastic squeeze of circular shell due to saddle or lug, in *Contact Loading and Local Effects in Thin-Walled Plated and Shell Structures* (eds V Krupka and M Drdacky), Springer-Verlag, Berlin, 28-33.
- Krupka V (1991b) Buckling and plastic punching of circular cylindrical shell due to saddle or lug loads, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 11-20.

- Krupka V (1991c) The background to a new design proposal for saddle supported vessels. *Int J Pressure Vessels Piping* **46**, 51-65.
- Krupka V (1992) Buckling of thin-walled steel tanks and pipes in the vicinity of ring ribs which introduce load. *Stahlbau* **61**(12), 377-383.
- Kyriakides S and Babcock CD (1981) Experimental determination of the propagation pressure of circular pipes. *J Pressure Vessel Tech*, ASME **103**, 328-336.
- Kyriakides S and Shaw PK (1987) Inelastic buckling of tubes under cyclic bending. *J Pressure Vessel Tech*, ASME **109**, 169-178.
- Kyriakides S and Ju GT (1992) Bifurcation and localization instabilities in cylindrical shells under bending. I. Experiments. *Int J Solids Struct* **29**(9), 1117-1142.
- Li LY (1990) Influence of loading imperfections on the stability of an axially compressed cylindrical shell. *Thin-Walled Struct* **10**(3), 215-220.
- Li LY and Molyneux TCK (1994) Elastic-plastic dynamic instability of long circular cylindrical shells under pure bending. *Int J Mech Sci* **36**(5), 431-437.
- Libai A and Durban D (1973) A method for approximate stability analysis and its application to circular cylindrical shells under circumferentially varying loads. *J Appl Mech*, ASME **40**, 971-976.
- Libai A and Durban D (1977) Buckling of cylindrical shells subjected to nonuniform axial loads. *J Appl Mech*, ASME **44**, 714-720.
- Limam A, Jullien JF, Greco E, and Lestrat D (1991) Buckling of thin-walled cylinders under axial compression and internal pressure, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 359-369.
- Lin ZQ, Shen HS, and Chen TY (1993) Buckling propagation in marine pipelines. *China Ocean Eng* **7**(1), 3144.
- Lindberg HE (1991) Dynamic pulse buckling of imperfection-sensitive shells. *J Appl Mech*, ASME **58**(3), 743-748.
- Liu WK, Chen YJ, Tsukimori K, and Uras RA (1991) Recent advances in dynamic buckling analysis of liquid-filled shells. *J Pressure Vessel Tech*, ASME **113**(2), 314-320.
- Lorenz Z (1908) Achsensymmetrische Verzerrungen in dunwandigen Hohlzylinder. *Z Ver deut Ingr* **52**, 1766-1793.
- Louca LA and Harding JE (1994) Torsional buckling of ring-stiffeners in cylindrical shells subjected to external pressure. *Proc of Inst of Civil Eng, Struct, and Build* **104**(2), 219-230.
- Lu Z, Obrecht H, and Wunderlich W (1995) Imperfection sensitivity of elastic and elastic-plastic torispherical pressure vessel heads. *Thin-Walled Struct* **23**(1-4), 21-39.
- Lundquist EE (1933) Strength test of thin-walled duralumin cylinders in compression. *NACA Tech Note*, No 473.
- Lundquist EE (1935) Strength test of thin-walled duralumin cylinders in combined transverse shear and bending. *NACA Tech Note*, No 523.
- Manos GC (1994) Shell buckling of metal model cylindrical storage tanks subjected to static lateral loads, in *Sloshing, Fluid-Structure Interaction, and Structural Response due to Shock and Impact Loads*, ASME Pressure Vessels and Piping Div Pub, Vol 272, New York, 59-66.
- Miller CD (1982) Experimental study of the buckling of cylindrical shells with reinforced openings. *Chicago Bridge and Iron Co, CBI-5388*, presented to ASME/ANS Nuclear Eng Conf, Portland OR, July.
- Miller CD and Vojta JF (1984) Strength of stiffened cylinders subjected to combinations of axial compression and external pressure, in *Proc of Struct Stability Res Council Annual Tech Sessions*, San Francisco CA, April.
- Miyazaki N (1988) Creep buckling of circular cylindrical shell under both axial compression and internal pressure. *Comput Struct* **28**(4), 437-441.
- Miyazaki N, Hagihara S, and Munakata T (1992) Bifurcation creep buckling analysis of circular cylindrical shell under axial compression. *Int J Pressure Vessels Piping* **52**(1), 1-10.
- Mok J and Elwi AE (1987) Shear behavior of large diameter fabricated steel tubes. *Canadian J Civil Eng* **14**(3), 97-102.
- Montague P and Horne MR (1981) The behavior of circular tubes with large openings subject to axial compression. *J Mech Eng Sci* **23**(5), 225-242.
- Moore I.D and Selig ET (1990) Use of continuum buckling theory for evaluation of buried plastic pipe stability. *ASTM Special Tech Pub*, No 1093, Philadelphia, USA, 344-359.
- Murakami T and Yoguchi H (1991) Static and dynamic buckling characteristics of imperfect cylindrical shells under transverse shearing loads, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 391-400.
- Murray NW and Bilston P (1992) Local buckling of thin-walled pipes being bent in the plastic range. *Thin-Walled Struct* **14**(5), 411-434.
- Narayanan R (ed) (1985) *Shell Structures: Stability and Strength*. Elsevier Appl Sci Pub, London.
- Nash WA (1960) Recent advances in the buckling of thin shells. *Appl Mech Rev* **13**(3), 161-164.
- Nicholls R and Karbhari V (1989) Nondestructive load predictions of concrete shell buckling. *J Struct Eng*, ASCE **115**(5), 1191-1211.
- Niwa A and Clough RW (1982) Buckling of cylindrical liquid-storage tanks under earthquake loading. *Earthquake Eng Struct Dyn* **10**, 107-122.
- Noor AK (1990) Bibliography of monographs and surveys on shells. *Appl Mech Rev* **43**(9), 223-234.
- Obaia KH, Elwi AE, and Kulak GL (1992a) Ultimate shear strength of large diameter fabricated steel tubes. *J Construct Steel Res* **22**, 115-132.
- Obaia KH, Elwi AE, and Kulak GL (1992b) Tests of fabricated steel cylinders subjected to transverse loads. *J Construct Steel Res* **22**, 21-37.
- Odland J (1991) Design codes for offshore structures, buckling of cylindrical shells, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 277-285.
- Ohira H (1961) Local buckling theory of axially compressed cylinders, in *Proc of 11th Japanese Natl Congress on Appl Mech*, 37-41.
- Ohira H (1963) Linear local buckling theory of axially compressed cylinders and various eigenvalues, in *Proc of 5th Int Symp on Space Tech and Sci*, Tokyo, 511-526.
- Ore E and Durban D (1989) Elastoplastic buckling of annular plate in pure shear. *J Appl Mech*, ASME **56**, 644-651.
- Ore E and Durban D (1992) Elastoplastic buckling of axially compressed circular cylindrical shells. *Int J Mech Sci* **34**(9), 727-742.
- Palmer S.C (1992) Structural effects of foundation tilt on storage tanks. *Proc of Inst of Mech Eng: Part E* **206**, 83-92.
- Panagiotopoulos GD (1985) Stress and stability analysis of toroidal shells. *Int J Pressure Vessels Piping* **20**, 87-100.
- Pedersen PT and Jensen JJ (1976) Buckling of spherical cargo tanks for liquid natural gas. *Trans of Royal Inst of Naval Architects* **118**, 193-205.
- Pedersen PT and Jensen JJ (1995) Buckling behavior of imperfect spherical shells subjected to different load conditions. *Thin-Walled Struct* **23**(14), 41-55.
- Pedron C and Combescure A (1995) Dynamic buckling of stiffened cylindrical shells of revolution under a transient lateral pressure shock wave. *Thin-Walled Struct* **23**(14), 85-105.
- Peek R (1989) Buckling criteria for earthquake-induced overturning stresses in cylindrical liquid storage tanks, in *Seismic Engineering: Research and Practice*, ASCE, New York, 428-437.
- Peek R and El-Bakily M (1991) Postbuckling behavior of unanchored steel tanks under lateral loads. *J Pressure Vessel Tech*, ASME **113**, 423-428.
- Peter J (1974) Zur Stabilität von Kreiszyinderschalen unter Ungleichmäßig Verteilten Axialen Randbelastungen. Dissertation, Tech Univ of Hanover.
- Radwanska M and Waszczyszyn Z (1995) Buckling analysis of a cooling tower shell with measured and theoretically-modelled imperfections. *Thin-Walled Struct* **23**(14), 107-121.
- Ramm E (ed) (1982) *Buckling of Shells*. Springer-Verlag, Berlin.
- Ramm E and Butcher N (1991) Buckling of cylindrical and conical shells under concentrated loading, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 313-322.
- Rammerstorfer F.G and Scharf K (1990) Storage tanks under earthquake loading. *Appl Mech Rev* **43**(11), 261-282.
- Ravichandran RV, Gould PL, and Sridharan S (1992) Localised collapse of shells of revolution using a local-global strategy. *Int J for Numer Methods in Eng* **35**, 1153-1170.
- Ravichandran RV, Sridharan S, and Gould PL (1994) A local global model for the nonlinear analysis of locally defective shells of revolution, *Int J for Numer Methods in Eng* **37**, 3057-3074.
- Ravn-Jensen K and Tvergaard V (1990) Effect of residual stresses on plastic buckling of cylindrical shell structures. *Int J Solids Struct* **26**(9-10), 993-1004.
- Reitinger R and Ramm E (1995) Buckling and imperfection sensitivity in the optimization of shell structures. *Thin-Walled Struct* **23**(14), 159-177.
- Resinger F and Greiner R (1982) Buckling of wind loaded cylindrical shells-applications to unstiffened and ring stiffened tanks, in *Buckling of Shells* (ed E Ramm), Springer-Verlag, Berlin, 305-331.
- Robertson A (1929) *The Strength of tubular struts*. ARC Report and Memorandum No 1185.
- Roche RL and Atrusson B (1986) Experimental tests on buckling of torispherical heads and methods of plastic bifurcation analysis. *J Pressure Vessel Tech*, ASME **108**, 138-145.
- Roman VG and Elwi AE (1988) Postbuckling shear capacity of thin steel tubes. *J Struct Eng*, ASCE **114**, 2512-2524.
- Roman VG and Elwi AE (1989) Analysis of the postbuckling behavior of large diameter fabricated steel tubes. *J Eng Mech*, ASCE **115**, 2587-2600.

- Ross CTF and Humphries M (1993) Buckling of corrugated circular cylinders under uniform external pressure. *Thin-Walled Struct* 17(4), 259-271.
- Rotter JM (1986) The analysis of steel bins subject to eccentric discharge, in *Proc of 2nd Int Conf on Bulk Mat Storage, Handling, and Transportation*, IEAust, 264-271.
- Rotter JM (1987) The buckling and plastic collapse of ring stiffeners at cone/cylinder junctions, in *Proc of Int Colloquium on Stability of Plate and Shell Struct*, Gent, Belgium, April, 449-456.
- Rotter JM (1993) The design of circular metal silos for strength, in *Proc of Int Symp - Reliable Flow of Particulate Solids II*, Oslo, Norway, Aug, 219-234.
- Rotter JM, Coleman R, Ding XL, and Teng JG (1992) The measurement of imperfections in cylindrical silos for buckling strength assessment, in *Proc of 4th Int Conf on Bulk Mat Storage, Handling, and Transportation*, July, 473-479.
- Rotter JM, Greiner R, Guggenberger W, Li H, and She KM (1993) Proposed design rule for buckling strength assessment of cylindrical shells under local axial loads, *Submission to ECCS TWG.8.4 Buckling of Shells*, September.
- Rotter JM and Hull TS (1989) Wall loads in squat steel silos during earthquakes. *Eng Struct* 11(3), 139-147.
- Rotter JM and Jumikis PT (1985) Elastic buckling of stiffened ringbeams for large elevated bins, in *Proc of Metal Struct Conf*, IEAust, Melbourne, May, 104-111.
- Rotter JM and Jumikis PT (1988) Non-linear strain-displacement relations for thin shells of revolution. *Research Report R563*, Sch of Civil and Mining Eng, Univ of Sydney, Australia, November.
- Rotter JM and Teng JG (1989a) Elastic stability of lapjointed cylinders. *J Struct Eng*, ASCE 115(3), 683-697.
- Rotter JM and Teng JG (1989b) Elastic stability of cylindrical shells with weld depressions. *J Struct Eng*, ASCE 115(5), 1244-1263.
- Rotter JM, Teng JG, and Li HY (1991) Buckling in thin elastic cylinders on column supports, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 334-343.
- Rotter JM and Zhang Q (1990) Elastic buckling of imperfect cylinders containing granular solids. *J Struct Eng*, ASCE 116(8), 2253-2271.
- Saal H (1982) *Buckling of long liquid-filled cylindrical shells*, in *Buckling of Shells* (ed E Raaxnm), Springer-Verlag, Berlin.
- Saal H and Schrufer W (1991) Stability of wind-loaded shells of cylindrical tanks with unrestrained upper edge, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 223-232.
- Saigal S, Yang TY, and Kapania RK (1987) Dynamic Buckling of imperfection-sensitive shell structures. *J Aircraft* 24(10), 719-724.
- Satnari A and Jullien JF (1995) Creep buckling of cylindrical shells under external lateral pressure. *Thin-Walled Struct* 23(1-4), 255-269.
- Samuelson L (1985) Buckling of cylindrical shells under axial compression and subjected to localised load, *EuroMech Colloquium 200: Postbuckling of Elastic Structures*, Matrafured.
- Samuelson L (1991a) The ECCS recommendations on shell stability, design philosophy, and practical applications, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 261-264.
- Samuelson L (1991b) Effect of local loads on the stability of shells subjected to uniform pressure distribution, in *Contact Loading and Local Effects in Thin-Walled Plated and Shell Structures* (eds V Krupka and M Drdacky), Springer-Verlag, Berlin, 42-51.
- Samuelson L and Eggwertz S (1992) *Shell Stability Handbook*. Elsevier Appl Sci, London.
- Sanders J.L (1963) Nonlinear theories for thin shells. *Quart J Appl Math* 20(1), 2136.
- Schmidt H (1986) Beulversuche an vorverformten kreiszylinder-modellschalen aus kunststoff unter au-éndruck, *Test Report No 100230-07*, Essen.
- Schmidt H (1991) The German code DIN 18800 part 4: stability of shell-type steel structures, design philosophy, and practical applications, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 265-269.
- Schmidt H and Krysiak R (1991) Towards recommendations for shell stability design by means of numerically determined buckling loads, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 508-519.
- Schroeder VP (1972) Über die stabilität der querkraftbelasteten dünnwandigen kreiszylinderschale. *Zf Angewandte Math and Mech*, T145-T148.
- Sengupta M and Ansourian P (1994) Behaviour of cylindrical tanks subjected to non-uniform pressure, in *Proc of Australasian Struct Eng Conf-1994*, Sydney, Australia, October, 975-979.
- Sharma UC, Rotter JM, and Jumikis PT (1987) Shell restraint to ringbeam buckling in elevated steel silos. in *Proc of 1st Natl Struct Eng Conf*, Melbourne, IEAust, Australia, August, 604-609.
- She KM and Rotter JM (1993) Nonlinear and stability behavior of discretely supported cylinders. *Research Report 93-01*, Dept of Civil Eng and Build Sci, Univ of Edinburgh, UK.
- Shen HS and Chen TY (1991) Buckling and postbuckling behavior of cylindrical shells under combined external pressure and axial compression. *Thin-Walled Struct* 12(4), 321-334.
- Shih CF (1987) Buckling of oil storage tanks in SPPL tank farm during 1979 imperial valley earthquake. *J Pressure Vessel Tech*, ASME 109(2), 249-255.
- Shilkrut DI (1983) Bifurcation in tension of nonlinear spherical caps. *J Struct Eng*, ASCE 109(1), 289-295.
- Simites GJ (1986) Buckling and postbuckling of imperfect cylindrical shells: a review. *Appl Mech Rev* 39(10), 1517-1524.
- Simites GJ, Shaw D, Sheinman I, and Giri J (1985) Imperfection sensitivity of fibre-reinforced, composite, thin cylinders, *Composites Sci Tech* 22, 259-276.
- Singer J (1980) Buckling experiments on shells a review of recent developments. *TAE Report 403*, Dept of Aeronaut Eng, Technion, Israel Inst of Tech.
- Singer J (1982a) Vibration correlation techniques for improved buckling predictions of imperfect stiffened shells, in *Buckling of Shells in Offshore Structures* (eds JE Harding, PJ Dowling, and N Agelidis), Granada, London, 285-329.
- Singer J (1982b) The status of experimental buckling investigations of shells, in *Buckling of Shells*, (ed E Ramm), Springer-Verlag, New York, 501-534.
- Singer J (1983) Vibration and buckling of imperfect stiffened shells-recent developments, in *Collapse: The Buckling of Structures in Theory and Practice*, (eds JMT Thompson and GW Hunt), Cambridge Univ Press, Cambridge, 443-479.
- Singer J and Abramovich H (1979) Vibration techniques for definition of practical boundary conditions in stiffened shells. *AIAA J* 17(7), 762-769.
- Singer J and Abramovich H (1995) The development of shell imperfection measurement techniques. *Thin-Walled Struct* 23(14), 379-398.
- Singer J and Rosen A (1976) Influence of boundary conditions on the buckling of stiffened cylindrical shells, in *Buckling of Structures, Proc of IUTAM Symp*, Harvard Univ, Cambridge MA, June 1974, Springer-Verlag, Berlin, 227-250.
- Soric J (1990) Stability analysis of a torispherical shell subjected to internal pressure. *Comput Struct* 36(1), 147-156.
- Soric J (1995) Imperfection Sensitivity of Internally-Pressurized Torispherical Shells. *Thin-Walled Struct* 23(1-4), 57-66.
- Southwell RV (1914) On the general theory of elastic stability. *Phil Trans. Royal Soc*, London, Series A, 213, 187-202.
- Souza MA and Assaid LMB (1991) A new technique for the prediction of buckling loads from nondestructive vibration tests. *Exp Mech*, June, 93-97.
- Speicher G and Saal H (1991) Numerical calculation of limit loads for shells of revolution with particular regard to the applying equivalent initial imperfections, in *Buckling of Shell Structures, on Land, in the Sea, and in the Air* (ed JF Jullien), Elsevier Appl Sci, London, 466-475.
- Starnes JH (1974) The effect of cutouts on the buckling of thin shells, in *Thin-Shell Structures, Theory, Experiment, and Design* (eds YC Fung and EE Sechler), Prentice-Hall, Englewood Cliffs NJ, 289-304.
- Stein M (1962) The effect on the buckling of perfect cylinders of prebuckling deformations and stresses induced by edge support, in *Collected Papers on Instability of Shell Structures*, NASA Technical Note, D-1510, 217-226.
- Stein M (1964) The influence of prebuckling deformations and stresses on the buckling of perfect cylinders. *NASA Tech Report TR R-190*.
- Stuhlman CE, DeLuzio A, and Almroth B (1966) Influence of stiffener eccentricity and end moment on stability of cylinders in compression. *AIAA J* 4, 872-877.
- Teng JG (1994a) Plastic collapse at lap joints in pressurized cylinders under axial load. *J Struct Eng*, ASCE 120(1), 23-45.
- Teng JG (1994b) Cone-cylinder intersection under internal pressure: axisymmetric failure. *J Eng Mech*, ASCE 120(9), 1896-1912.
- Teng JG (1995a) Cone-cylinder intersection under internal pressure: non-symmetric buckling. *J Eng Mech*, ASCE 121(12).
- Teng JG (1995b) Elastic buckling of cone-cylinder intersection under localized circumferential compression. *Eng Struct*, Accepted for Publication.
- Teng JG and Lucas RM (1994) Out-of-plane buckling of restrained rings of general open cross-section. *J Eng Mech*, ASCE 120(5), 929-948.
- Teng JG and Rotter IM (1988) Buckling of restrained monosymmetric rings. *J Eng Mech*, ASCE 114(10), 1651-1671.

- Teng JG and Rotter JM (1989a) Elastic-plastic large deflection analysis of axisymmetric shells. *Comput Struct* **31**(2), 211-233.
- Teng JG and Rotter JM (1989b) Non-symmetric bifurcation of geometrically nonlinear elastic-plastic axisymmetric shells under combined loads including torsion. *Comput Struct* **32**(2), 453-475.
- Teng JG and Rotter JM (1989c) Non-symmetric buckling of plate-end pressure vessels. *J Pressure Vessel Tech*, ASME **111**(3), 304-311.
- Teng JG and Rotter JM (1989d) Buckling of rings in column-supported bins and tanks. *Thin-Walled Struct* **7**(3&4), 251-280.
- Teng JG and Rotter JM (1991a) A study of buckling in column-supported cylinders. in *Contact Loading and Local Effects in Thin-Walled Plated and Shell Structures* (eds V Krupka and M Drdacky), Springer-Verlag, Berlin, 52-61.
- Teng JG and Rotter JM (1991b) Plastic buckling of rings at steel silo transition junctions. *J Construct Steel Res* **19**, 1-18.
- Teng JG and Rotter JM (1992) Buckling of pressurized axisymmetrically imperfect cylinders under axial loads, *J Eng Mech*, ASCE **118**(2), 229-247.
- Teng JG and Rotter JM (1992b) Linear bifurcation of perfect column-supported cylinders: support modelling and boundary conditions. *Thin-Walled Struct* **14**, 241263.
- Teng JG and Rotter JM (1992c) Recent research on the behavior and design of steel silo hoppers and transition junctions. *J Construct Steel Res* **23**, 313-343.
- Teng JG and Rotter JM (1995) Stability assessment of complex shell structures by numerical analysis. *Austral Civil Eng Trans*, CE37(1), pp 61-69.
- Tennyson RC (1968) The effects of unreinforced cutouts on the buckling of circular cylindrical shells under axial compression. *J Eng for Indust*, ASME **90**, 541-546.
- Thompson JMT and Hunt GW (eds) (1983) *Collapse: The Buckling of Structures in Theory and Practice*, Cambridge Univ Press, Cambridge.
- Timoshenko SP (1910) Einige Stabilitätsprobleme der Elastizitätstheorie. *Z Math Phys* **58**, 337-357.
- Toda S (1983) Buckling of cylinders with cutouts under axial compression. *Exp Mech*, December, 414-417.
- Tooth AS and Susatijo I (1983) A study of the stability of horizontal cylindrical vessels filled with varying amounts of liquid: Part I and Part II, *Thin-Walled Struct* **1**, 121-138.
- Trahair NS, Abel A, Ansourian P, Irvine HM, and Rotter JM (1983) *Structural Design of Steel Bins for Bulk Solids*. Austral Inst of Steel Construct, Sydney, Australia.
- Tvergaard V (1976) Buckling behavior of plate and shell structures, in *Theoretical and Applied Mechanics*, (ed WT Koiter), North-Holland, 233-247.
- Uchiyama K, Uematsu Y, and Orimo T (1987) Experiments on the deflection and buckling behavior of ring-stiffened cylindrical shells under wind pressure. *J Wind Eng and Indust Aerodyn* **26**(2), 195-211.
- Uemura S and Morita M (1971) Buching of circular cylindrical shells under linearly varying external pressure. *Trans of JSME* (in Japanese), **37**, 1100-1106.
- Uras RA and Liu WK (1990) Dynamic buckling of liquid-filled shells under horizontal excitation. *J Sound Vib* **141**(3), 389-408.
- Uras RA and Liu WK (1991) Buckling of force-excited liquid-filled shells. *J Pressure Vessel Tech*, ASME **113**(3), 418-422.
- Vandepitte D, Rathe J, Verheghe B, Paridaens R, and Verschaev C (1982) Experimental investigation of buckling of hydrostatically loaded, conical shells and practical evaluation of buckling loads, in *Buckling of Shells* (ed E Ramm), Springer-Verlag, Berlin, 355-374.
- von Kármán T and Tsien HS (1941) The buckling of thin cylindrical shells under axial compression. *J Aerospace Sci* **8**, 303-312.
- Wang A and Zhang W (1991) Asymptotic solution for buckling of toroidal shells. *Int J Pressure Vessels Piping* **45**, 61-72.
- Wang D, Zhang S, Yang G (1993a) Impact torsional buckling of elastic cylindrical shells with arbitrary form imperfection. *Appl Math Mech* (English Edition) **14**(6), pp 499-505.
- Wang D, Zhang S, and Yang G (1993b) Impact torsional buckling for the plastic cylindrical shell. *Appl Math Mech* (English Edition) **14**(8), 693-698.
- Wei X and Shun C (1988) Buckling of locally loaded isotropic, orthotropic, and composite cylindrical shells. *J Appl Mech*, ASME **55**(2), 425-429.
- Weingarten VI (1962) The buckling of cylindrical shells under longitudinally varying loads. *J Appl Mech*, ASME **29**, 81-85.
- Weller T (1978) Combined stiffening and in-plane boundary conditions effects on the buckling of circular cylindrical stiffened-shells. *Comput Struct* **9**, 1-16.
- Weller T and Singer J (1977) Experimental studies on the buckling under axial compression of integrally stringer-stiffened circular cylindrical shells. *J Appl Mech*, ASME **44**, 721-730.
- Weller T, Singer J, and Batterman SC (1974) Influence of eccentricity of loading on buckling of stringer-stiffened cylindrical shells, in *Thin-Shell Structures, Theory, Experiment, and Design* (eds YC Fung and EE Sechler), Prentice-Hall, Englewood Cliffs NJ, 305-324.
- Weller T, Abramovich H, and Singer J (1986) Application of nondestructive vibration correlation techniques for buckling of spot-welded and riveted stringer stiffened shells. *Zeitschrift fuer Flugwissenschaften und Weltraumforschung* **10**(3), 183-189.
- Wilson WM and Newmark NM (1933) The strength of thin cylindrical shells as columns. *Bulletin No 255*, Eng Experimental Station, Univ of Illinois.
- Winter PE de, Stark JWB, and Witteveen J (1985) Collapse behavior of submarine pipelines, in *Shell Structures: Stability and Strength* (ed R Narayanan), Elsevier Appl Sci Pub, 221-246.
- Wunderlich W, Cramer H, and Obrecht H (1985) Application of ring elements in the non-linear analysis of shells of revolution under non-axisymmetric loading. *Comput Methods in Appl Mech Eng* **51**, 259-275.
- Wunderlich W, Obrecht H, and Schnabel F (1987) Nonlinear behavior of externally pressurised toriconical shells-analysis and design criteria, in *Stability of Plate and Shell Structures* (eds P Dubas and D Vandepitte), 373-386.
- Yamada S and Croll JGA (1993) Buckling and postbuckling characteristics of pressure-loaded cylinders. *J Appl Mech*, ASME **60**(2), 290-299.
- Yamaki N (1984) *Elastic Stability of Circular Cylindrical Shells*. North Holland.
- Yamaki N and Kodama S (1972) Buckling of circular cylindrical shells under compression-report 3: solutions based on the Donnell type equations considering prebuckling edge rotations. *Report of the Inst of High Speed Mech*, No 25, Tohoku Univ, 99-141.
- Yamaki N, Naito K, and Sato E (1979) Buckling of circular cylindrical shells under combined action of a transverse shear edge load and hydrostatic pressure, in *Proc of Int Conf on Thin-Walled Struct*, Univ of Strathclyde, Glasgow UK.
- Yang HTY, Saigal S, and Liaw DG (1990) Advances of thin shell finite elements and some applications-version I. *Comput Struct* **35**, 481-504
- Yao JC (1963) Buckling of a truncated hemisphere under axial tension. *AIAA J*, **1**, 2316-2319.
- Yeh KY, Song WP, and Rimrott FJP (1992) Nonlinear instability of corrugated diaphragms. *AIAA J* **30**(9), 2325-2331.
- Yun H and Kyriakides S (1990) On the beam and shell modes of buckling of buried pipelines. *Soil Dyn and Earthquake Eng* **9**(4), 179-193.
- Zamrik SY and Dietrich D (eds) (1982) *Pressure Vessels and Piping: Design Technology-1982 - A Decade of Progress*, ASME, New York.
- Zhang Q and Ansourian P (1991) Stability of silo wall stiffened by particulate solids. *Austral Civil Eng Trans*, CE33(2), 137-141.
- Zhou M, Zheng S, and Zhang W (1992) Study on elephant-foot buckling of broad liquid storage tanks by nonlinear theory of shells. *Comput Struct*, **44**(4), 783-788.



Jin-Guang Teng is an Assistant Professor in the Department of Civil and Structural Engineering of The Hong Kong Polytechnic University. He obtained his BE from Zhejiang University, China in 1983, and his PhD from Sydney University in 1990. He was a Lecturer and later a Senior Lecturer in Structural Engineering at James Cook University in Australia from 1991 to 1994. His current research interests include the analysis, behavior, and design of thin-shell structures with special reference to metal silos and tanks, and the development and application of nonlinear finite element techniques. He has published 29 journal papers and many conference papers on these and related topics. He is currently a Corresponding Member of the ECCS Technical Working Group 8.4 on Buckling of Shells.